L Number	Hits	Search Text	DB	Time ctame
-	18	(("6098172") or ("6321337") or ("6157955")	USPAT;	Time stamp 2004/08/26 14:45
		or ("6144961") or ("6055236") or ("6009526")	US-PGPUB;	100/20 14:45
		or ("6006272") or ("6006258") or	EPO; JPO;	
		("5781550")).PN.	DERWENT;	
_	9	(("6098172") or ("6321337") or ("6157955")	IBM_TDB	2004/02/22
		or ("6144961") or ("6055236") or ("6009526")	USPAT	2004/08/26 15:15
		or ("6006272") or ("6006258") or	ē	
		("5781550")).PN.		
-	2310		USPAT	2004/08/26 15:15
-	411	1 tit is a time of the time of time of the time of time of the time of tim	USPAT;	2004/08/26 15:32
		((reques\$4 or quer\$4) with (performance or information or metric) with (firewall or	US-PGPUB;	
		router or gateway or server))	EPO; JPO; DERWENT;	
			IBM TDB	
-	394	(((((713/200) or (713/201)).CCLS.) and	USPAT;	2004/08/26 15:18
		((reques\$4 or quer\$4) with (performance or	US-PGPUB;	
		information or metric) with (firewall or	EPO; JPO;	
	İ	router or gateway or server))) and @ad<20010430	DERWENT;	
_	18	(((713/200) or (713/201)).CCLS.) and	IBM_TDB USPAT;	2004/08/26 15:18
		((reques\$4 or quer\$4) with (performance or	US-PGPUB;	2004/00/20 15:18
		metric) with (firewall or router or gateway	EPO; JPO;	
		or server))	DERWENT;	
_	10	////713/200) on /713/201)\ ccrc	IBM_TDB	
	18	((((713/200) or (713/201)).CCLS.) and ({reques\$4 or quer\$4) with (performance or	USPAT;	2004/08/26 15:27
		metric) with (firewall or router or gateway	US-PGPUB; EPO; JPO;	
		or server))) and @ad<20010430	DERWENT:	
			IBM TDB	
-	376	((((((713/200) or (713/201)).CCLS.) and	USPAT;	2004/08/26 15:26
		((reques\$4 or quer\$4) with (performance or	US-PGPUB;	
·	÷	information or metric) with (firewall or router or gateway or server))) and	EPO; JPO;	
		@ad<20010430) not ((((713/200) or	DERWENT; IBM TDB	
		(713/201)).CCLS.) and ((reques\$4 or quer\$4)	15.1_156	
		with (performance or metric) with (firewall		
		or router or gateway or server)))		
-	0	(((((((713/200) or (713/201)).CCLS.) and	USPAT;	2004/08/26 15:27
		((reques\$4 or quer\$4) with (performance or information or metric) with (firewall or	US-PGPUB;	
		router or gateway or server))) and	EPO; JPO; DERWENT;	
		@ad<20010430) not ((((713/200) or	IBM TDB	
		(713/201)).CCLS.) and ((reques\$4 or quer\$4)		
		with (performance or metric) with (firewall		
		or router or gateway or server)))) and		
-	101	(denial adj of adj service) ((((((713/200) or (713/201)).CCLS.) and	USPAT;	2004/09/26 15-25
]	((reques\$4 or quer\$4) with (performance or	US-PGPUB;	2004/08/26 15:27
	1	information or metric) with (firewall or	EPO; JPO;	
		router or gateway or server))) and	DERWENT;	,
		@ad<20010430) not ((((713/200) or	IBM_TDB	
		(713/201)).CCLS.) and ((reques\$4 or quer\$4) with (performance or metric) with (firewall		
		or router or gateway or server)))) and		
		((denial adj of adj service) or attack or		
	ļ	malicious)		
_	101	((((((((713/200) or (713/201)).CCLS.) and	USPAT;	2004/08/26 15:35
		((reques\$4 or quer\$4) with (performance or	US-PGPUB;	
		<pre>information or metric) with (firewall or router or gateway or server))) and</pre>	EPO; JPO;	
		@ad<20010430) not ((((713/200) or	DERWENT; IBM TDB	
		(713/201)).CCLS.) and ((reques\$4 or quer\$4)	***·_*DB	
		with (performance or metric) with (firewall		
		or router or gateway or server)))) and		
		((denial adj of adj service) or attack or		
L		malicious)) and @ad<20010430		

-	52	((reques\$4 or quer\$4) with (performance or	USPAT;	2004/08/26 15:48
		information or metric) with (firewall or router or gateway or server)) same (rtt or	US-PGPUB;	
		ttl)	EPO; JPO; DERWENT;	
			IBM_TDB	
-	27	(((reques\$4 or quer\$4) with (performance or	USPAT;	2004/08/26 15:50
		information or metric) with (firewall or	US-PGPUB;	
		router or gateway or server)) same (rtt or ttl)) and @ad<20010430	EPO; JPO;	
		cti// and wad<20010430	DERWENT; IBM TDB	
_	3	((reques\$4 or quer\$4) with (performance or	USPAT;	2004/08/26 16:02
		information or metric) with firewall same	US-PGPUB;	
		((return or response) near3 (id or identif\$5	EPO; JPO;	
		or address)))	DERWENT;	
_	2	(((reques\$4 or quer\$4) with (performance or	IBM_TDB USPAT;	2004/08/26 16 04
	_	information or metric) with firewall same	US-PGPUB;	2004/08/26 16:04
		((return or response) near3 (id or identif\$5	EPO; JPO;	
		or address)))) and @ad<20010430	DERWENT;	
	_	(/	IBM_TDB	
_	6	((reques\$4 or quer\$4) with (performance or information or metric) with (firewall or	USPAT;	2004/08/26 16:27
		router or gateway or server or agent) same	US-PGPUB; EPO; JPO;	
		((return or response) near3 (id or identif\$5	DERWENT;	
		or address)) same ((denial adj of adj	IBM_TDB	
		service) or attack))		
-	6	<pre>(((reques\$4 or quer\$4) with (performance or information or metric) with (firewall or</pre>	USPAT;	2004/08/26 16:30
		router or gateway or server or agent) same	US-PGPUB; EPO; JPO;	
		((return or response) near3 (id or identif\$5	DERWENT;	
		or address)) same ((denial adj of adj	IBM TDB	
		service) or attack))) not ((((reques\$4 or	_	
		quer\$4) with (performance or information or		
		<pre>metric) with firewall same ((return or response) near3 (id or identif\$5 or</pre>		
		address)))) and @ad<20010430)		
-	5	(((reques\$4 or quer\$4) with (performance or	USPAT;	2004/08/26 16:31
		information or metric) with (firewall or	US-PGPUB;	, , ,
		router or gateway or server or agent) same	EPO; JPO;	
		((return or response) near3 (id or identif\$5 or address)) same ((denial adj of adj	DERWENT;	
		service) or attack))) and @ad<20010430	IBM_TDB	
-	6	((reques\$4 or quer\$4) with (performance or	USPAT;	2004/08/26 16:31
		information or metric or ttl or rtt) with	US-PGPUB;	
		(firewall or router or server or agent or	EPO; JPO;	
		broker) same ((return or response or reply) near3 (id or identif\$5 or identification or	DERWENT;	
		address)) same ((denial adj of adj service)	IBM_TDB	
		or attack or (service adj level adj		
		agreement)))		
-	0	(((reques\$4 or quer\$4) with (performance or	USPAT;	2004/08/26 16:31
		information or metric or ttl or rtt) with (firewall or router or server or agent or	US-PGPUB;	
		broker) same ((return or response or reply)	<pre>EPO; JPO; DERWENT;</pre>	
		near3 (id or identif\$5 or identification or	IBM TDB	
		address)) same ((denial adj of adj service)		
		or attack or (service adj level adj		
		agreement)))) not (((reques\$4 or quer\$4)		
		with (performance or information or metric) with (firewall or router or gateway or		
		server or agent) same ((return or response)		
		near3 (id or identif\$5 or address)) same		
		((denial adj of adj service) or attack)))		

	0	((((reques\$4 or quer\$4) with (performance or information or metric or ttl or rtt) with	USPAT; US-PGPUB;	2004/08/27 07:58
		(firewall or router or server or agent or	EPO; JPO;	
		broker) same ((return or response or reply)	DERWENT;	
		near5 (id or identif\$5 or identification or	IBM TDB	
		address)) same ((denial adj of adj service)	TBM_TBB	
		or attack or (service adj level adj		
		agreement)))) not (((reques\$4 or quer\$4)		
		with (performance or information or metric)		
		with (firewall or router or gateway or		
		server or agent) same ((return or response)		
		near3 (id or identif\$5 or address)) same		
		((denial adj of adj service) or attack))))		
ĺ		and @ad<20010430		
	1	(((reques\$4 or quer\$4) with (performance or	USPAT;	2004/08/27 07:55
		information or metric or ttl or rtt) with	US-PGPUB;	
		(firewall or router or server or agent or	EPO; JPO;	
		broker) same ((return or response or reply)	DERWENT;	
		near5 (id or identif\$5 or identification or	IBM TDB	
		address)) same ((denial adj of adj service)	_	
		or attack or (service adj level adj		1
		agreement)))) not (((reques\$4 or quer\$4)		
		with (performance or information or metric)		
		with (firewall or router or gateway or		
		server or agent) same ((return or response)		
		near3 (id or identif\$5 or address)) same		
		((denial adj of adj service) or attack)))		
-	26	I I I . I	USPAT;	2004/08/27 09:56
		information or metric or ttl or rtt) same	US-PGPUB;	
		(firewall or router or server or agent or	EPO; JPO;	
		broker) same ((return or response or reply)	DERWENT;	
		with (id or identif\$5 or identification or	IBM_TDB	
		address)) same ((denial adj of adj service)		
		or attack or (service adj level adj		
	7	agreement)))	·	
_	/	(telegraph of desiration (porrormance or	USPAT;	2004/08/27 07:57
		information or metric or ttl or rtt) with	US-PGPUB;	į
		(firewall or router or server or agent or broker) same ((return or response or reply)	EPO; JPO;	
		near5 (id or identif\$5 or identification or	DERWENT;	
		address)) same ((denial adj of adj service)	IBM_TDB	
		or attack or (service adj level adj		
1		agreement)))		
-	19	(((reques\$4 or quer\$4) same (performance or	USPAT;	2004/08/27 08:41
		information or metric or ttl or rtt) same	US-PGPUB;	2001/00/2/00.41
		(firewall or router or server or agent or	EPO; JPO;	
]		broker) same ((return or response or reply)	DERWENT;	
		with (id or identif\$5 or identification or	IBM TDB	
		address)) same ((denial adj of adj service)		
		or attack or (service adj level adj		
		agreement)))) not (((reques\$4 or quer\$4)		
į		with (performance or information or metric		
		or ttl or rtt) with (firewall or router or		
		server or agent or broker) same ((return or		
		response or reply) near5 (id or identif\$5 or		
		identification or address)) same ((denial		
		adj of adj service) or attack or (service		
L		adj level adj agreement))))		

-	8	information or metric or ttl or rtt) same	USPAT; US-PGPUB;	2004/08/27 08:34
		(firewall or router or server or agent or	EPO; JPO;	
		broker) same ((return or response or reply)	DERWENT;	
		with (id or identif\$5 or identification or	IBM_TDB	
		address)) same ((denial adj of adj service) or attack or (service adj level adj		
		agreement)))) not (((reques\$4 or quer\$4)		
		with (performance or information or metric		
		or ttl or rtt) with (firewall or router or		
		server or agent or broker) same ((return or		
		response or reply) near5 (id or identif\$5 or		
		identification or address)) same ((denial		
		adj of adj service) or attack or (service		
		adj level adj agreement))))) and @ad<20010430		
-	0		USPAT;	2004/08/27 08:41
		information or metric or ttl or rtt) same	US-PGPUB;	2004/00/27 00.41
		(firewall or router or server or agent or	EPO; JPO;	
	0	broker) same (return or response or reply)	DERWENT;	
		same (mask\$3 near5 (id or identif\$5 or	IBM_TDB	
		identification or address)) same ((denial		
		adj of adj service) or attack or (service adj level adj agreement) or dos or sla or		
		malicious or harmful))) and @ad<20010430		
-	2	((reques\$4 or quer\$4) same (performance or	USPAT;	2004/08/27 08:39
		information or metric or ttl or rtt) same	US-PGPUB;	. ,
		(firewall or router or server or agent or	EPO; JPO;	
		broker) same (return or response or reply)	DERWENT;	
		<pre>same (mask\$3 near5 (id or identif\$5 or identification or address)) same ((denial</pre>	IBM_TDB	
	-)(-	adj of adj service) or attack or (service		
		adj level adj agreement) or dos or sla or		
		malicious or harmful))		
_	38	,,	USPAT;	2004/08/27 08:41
		identification or address)) same ((denial	US-PGPUB;	
		adj of adj service) or attack or (service adj level adj agreement) or dos or sla or	EPO; JPO; DERWENT;	
		malicious or harmful))	IBM TDB	
_	0		USPAT;	2004/08/27 08:41
			US-PGPUB;	. ,
			EPO; JPO;	
			DERWENT;	
_	36	(((mask\$3 near5 (id or identif\$5 or	IBM_TDB USPAT;	2004/08/27 08:41
1	30	identification or address)) same ((denial	US-PGPUB;	2004/08/27 08:41
		adj of adj service) or attack or (service	EPO; JPO;	
		adj level adj agreement) or dos or sla or	DERWENT;	
		malicious or harmful))) not (((reques\$4 or	IBM_TDB	1
		quer\$4) same (firewall or router or server		
		or agent or broker) same (return or response or reply) same (mask\$3 near5 (id or		
	1	identif\$5 or identification or address))		
		same ((denial adj of adj service) or attack		
		or (service adj level adj agreement) or dos		
		or sla or malicious or harmful)))		
-	26	((((mask\$3 near5 (id or identif\$5 or	USPAT;	2004/08/27 10:00
		identification or address)) same ((denial adj of adj service) or attack or (service	US-PGPUB; EPO; JPO;	
		adj level adj agreement) or dos or sla or	DERWENT;	
		malicious or harmful))) not (((reques\$4 or	IBM_TDB	
		quer\$4) same (firewall or router or server	_	
		or agent or broker) same (return or response		
		or reply) same (mask\$3 near5 (id or		
		identif\$5 or identification or address)) same ((denial adj of adj service) or attack		
		or (service adj level adj agreement) or dos		
		or sla or malicious or harmful)))) and		
		@ad<20010430		
				· · · · · · · · · · · · · · · · · · ·

-	2	((reques\$4 or quer\$4) same (firewall or	USPAT;	2004/08/27 08:59
		router or server or agent or broker) same	US-PGPUB;	
		(return or response or reply) same (mask\$3	EPO; JPO;	
		near5 (id or identif\$5 or identification or	DERWENT;	
		address)) same ((denial adj of adj service)	IBM_TDB	
		or attack or (service adj level adj		
		agreement) or dos or sla or malicious or		
	Į.	harmful))		
-	472	((firewall or router or server or agent or	USPAT;	2004/08/27 10:03
		broker) same transparent\$2 same (receiv\$3 or	US-PGPUB;	
		intercept\$3) and ((denial adj of adj	EPO; JPO;	,
		service) or attack or(service adj level adj	DERWENT;	
		agreement) or dos or ddos or sla))	IBM_TDB	
-	269	(((firewall or router or server or agent or	USPAT;	2004/08/27 10:04
		broker) same transparent\$2 same (receiv\$3 or	US-PGPUB;	
		intercept\$3) and ((denial adj of adj	EPO; JPO;	
		service) or attack or(service adj level adj	DERWENT;	
		agreement) or dos or ddos or sla))) and	IBM_TDB	
		@ad<20010430		0001/00/07 10 01
-	150		USPAT;	2004/08/27 10:04
		router or server or agent or broker) same	US-PGPUB;	
		transparent\$2 same (receiv\$3 or intercept\$3)	EPO; JPO;	
		and ((denial adj of adj service) or attack	DERWENT;	
		or(service adj level adj agreement) or dos	IBM_TDB	
		or ddos or sla))	HCDAT.	2004/08/27 10:04
-	104		USPAT; US-PGPUB;	2004/08/2/ 10:04
		router or server or agent or broker) same	EPO; JPO;	
	1	transparent\$2 same (receiv\$3 or intercept\$3)	DERWENT;	
		and ((denial adj of adj service) or attack	IBM TDB	
E .		or(service adj level adj agreement) or dos	TEMTINE	
	1	or ddos or sla))) and @ad<20010430		